

## CLOSING YOUR POOL

Perform these steps while the pool water is circulating.

**STEP 1** Resolve any current water problems, such as algae or cloudy water, before closing the pool.

**STEP 2** Adjust water balance factors to their appropriate ranges:

pH	7.2 – 7.6
Total Alkalinity	100– 120 ppm
Calcium Hardness	200– 400 ppm

**STEP 3** Add 2 pounds of **Quick Shock** or **Multi Shock Extra** per 10,000 gallons of water.

**STEP 4** Add **Winter Blue 22** to pool. See product label for application directions.

**STEP 5** Use **Liquid Filter Cleaner** to clean your filter prior to close. Filters become more difficult to clean the longer they are left untouched.

**STEP 6** If applicable, lower the water level of your pool. Consult your local dealer.

## OPENING YOUR POOL

• At any time during the opening process perform these two tasks:  
*Introduce ProTeam High Tech Tabs to your chemical feeder. Anytime is a good time to sanitize the pool water.*

• *Brush, Vacuum, Clean. Do these at any time and you are helping to keep the pool tidy and make the products you are adding into the pool work better, faster or both.*

**STEP 1** If needed, add water to get the pool to operational level. Once enough water has been added start circulating the pool water. Circulate pool water for 24 hours before the first test of the season.

**STEP 2** Adjust the water balance factors and make any necessary adjustments to the **Stabilizer** levels. Water balance factors are pH, Alkalinity, and Calcium Hardness.

**STEP 3** Add **Quick Shock** to oxidize wastes present and growing in the pool during the off-season along with any wastes added with the new water introduced.

**STEP 4** Apply an initial dose of **Combat 60** to keep pool clear all year.

**STEP 5** When high levels of metals or calcium are present add **Rust-N-Scale** to prevent issues from forming.

**STEP 6** Add **Activator** to the pool in at least two separate dosages. This step will make water care a breeze!

